


Health and Safety:
 THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT DRAWINGS, THE SPECIFICATION AND THE SAFETY AND HEALTH PLAN.
 THE APPOINTMENT OF THE PROJECT SUPERVISOR DESIGN PROCESS IS THE CLIENT'S RESPONSIBILITY.
 TEMPORARY WORKS PROPOSALS AND/OR METHOD STATEMENTS TO BE SUBMITTED TO THE PSDP AND THE PSCS FOR WORKS WHICH INVOLVE PARTICULAR RISKS.

- Notes:**
- NO PART OF THIS DRAWING MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR STORED IN ANY RETRIEVAL SYSTEM OF ANY NATURE WITHOUT THE WRITTEN PERMISSION OF MALONE O'REGAN CONSULTING ENGINEERS AS COPYRIGHT HOLDER EXCEPT AS AGREED FOR USE ON THE PROJECT FOR WHICH THE DRAWING WAS ORIGINALLY ISSUED.
 - THE APPOINTMENT OF THE PROJECT SUPERVISOR DESIGN PROCESS IS THE CLIENT'S RESPONSIBILITY.
 - ALL DIMENSIONS IN mm UNLESS NOTED OTHERWISE.
 - THE CONTRACTOR SHALL CHECK ALL DIMENSIONS PRIOR TO COMMENCEMENT OF CONSTRUCTION. DISCREPANCIES SHALL BE REPORTED TO THIS OFFICE IN WRITING.
 - THIS DRAWING TO BE READ IN ACCORDANCE WITH ALL RELEVANT ENGINEERS' DRAWINGS AND SPECIFICATIONS.



IRISH WATER STANDARD DETAILS AND CODES OF PRACTICE:
 ALL OF THE SITE DRAINAGE WORKS SHOULD BE CARRIED OUT IN ACCORDANCE WITH IRISH WATER'S (IW) "WASTEWATER INFRASTRUCTURE STANDARD DETAILS" AND "CODE OF PRACTICE FOR WASTEWATER INFRASTRUCTURE".

- PIPE MATERIALS:**
- SERVICE CONNECTIONS FROM DWELLING TO BE 100mm Ø UNPLASTICISED PVC IN ACCORDANCE WITH SECTION 3.13 OF IW CODE PRACTICE.
 - SITE SEWER TO BE UN-PLASTICISED PVC IN ACCORDANCE WITH SECTION 3.13 OF THE IW CODE OF PRACTICE.
 -STIFFNESS CLASS - 8kN/m²
 -JETTING RESISTANCE - 2600psi

- TESTING:**
- SITE SEWER AND MANHOLES TO BE TESTED IN ACCORDANCE WITH SECTION 4.10 OF IW CODE OF PRACTICE.
 - CCTV AND MANHOLE CONDITION SURVEYS TO BE CARRIED OUT IN ACCORDANCE WITH SECTION 1.9 OF IW CODE OF PRACTICE IN ADVANCE OF THE DEFECTS LIABILITY PERIOD.

NOTE: ALL MANHOLE COVER LEVELS TO BE CHECKED IN SITU TO ENSURE THAT THEY ARE LEVEL WITH THE SURROUNDING FINISHED SURFACES.

P1	PLANNING APPLICATION	19.02.'24	GL	CC	COB
P	PLANNING APPLICATION	20.09.'23	GL	JK	COB

THIS DRAWING TO BE USED FOR PLANNING PURPOSES ONLY

ADR
MALONE O'REGAN
 CONSULTING ENGINEERS

3-4 Canada Street
 Waterford
 Co. Waterford.
 X91 V52K
 Tel: +353 51 876 855
 Email: waterford@morco.ie
 Web: www.maloneoregan.com

Offices also in:
 DUBLIN : Tel: +353 1 260 2655 Email: dublin@morco.ie
 GALWAY: Tel: +353 91 531 069 Email: galway@morco.ie
 LONDON: Tel: +44 208 5281685 Email: london@morco.ie

Client: **NOEL FRISBY CONSTRUCTION LTD.**

Job: **STUDENT ACCOMMODATION AT CORK ROAD, WATERFORD.**

Drawing: **GENERAL ARRANGEMENT - FOUL DRAINAGE LAYOUT**

Job No	Drw No	Stage	Revision	Scale
W22076	P855	PL	P1	A1 1:500 A3 1:1,000

PROPOSED FOUL DRAINAGE TO DISCHARGE TO EXISTING LOCAL AUTHORITY FOUL DRAIN VIA EXISTING FOUL MANHOLE
 (Existing MH Invert Level to be confirmed on site)